, PRNC-APWO 11345/2 (10-64)

REPORT FORMAT

RCS ENGMC-D(OT) 537

ENG FORM 3706 (OT)

(to be reproduced as required)

r wo	WATER AND SEWERAGE FACIL	ITIES SUKVEY	
	ple Survey No. //// shown on List of Buildings)	Date prepared 16 N	ov. 1961
	SECTION A FACILITY ID (Use latest NFSS or Updati	ng Survey Data)	
1.	Name of facility WASHINGTON	BUILDING	
2.	Address 1448, 1450 NEW YOR	KNW	
3.	s.L. 73/1/10063 F.O. /// FAC. N (w/Alp	to. ////// US wha part, if approp.)	E /51/
	SECTION B SHELTER SPACE (Use latest NFSS or Updati	ng Survey Data)	
1.	Number of existing PF Category 2-8 shelter	spaces 4530	strong and a rest of the section of
2.	Number of improvable ("Added") shelter spa	ices	
	SECTION C WATER AVAILAB	LE IN SUPPLY SYSTEMS	
	(Enter for each of the systems 1 water available in the same buil These quantities are to exclude in CD drums as part of the fallo	ding as the shelter. any water presently stor	eď
1.	Normal Supplies (Including Plumbing System	1, Only):	
	Source	. Potable No	Col.(2) n-Potable
	a. Piping (hot and cold water supply)	* 260	
	b. Storage Tanks	supportant phraditional requirement of the state of the s	and the second s
	c. Hot Water Tanks	430	
	d. Toilet and Urinal Tanks		
	e. Indoor Pools and Fountains		
	f. Other-chilled water drinking system	185	
	g. TOTAL (Gallons)	875	0

SECTION ((Con't)

2. Heating and Air Conditioning Systems:

Col.(1) Potable	Col.(2) Non-Potable
	4075
	720
0	4795
	330
0	330
875	5125
	1212
0	0
if readily avail wer, and estimat	
	Potable O 875 O If readily avail

SECTION D - COST ESTIMATES

. (Enter cost estimates for making available to shelterees the total quantities of potable and non-potable water shown in Columns (1) and (2) of Section C. Estimates are for planning purposes, only, and will be cased upon the best on-site information readily available. Include under "Remarks" a brief description of modifications and major features contributing to the costs. If desired, a simple sketch may be attached)

1.	Potable Water:					
		Source		Cost in Dollars		
	a.	Normal Supplies:		\$ 100		
		Remarks: (1) Z" CHECK VALVE	IN	CITY		
		WATER MAIN CONNE				
	ь.	Heating and Air Conditioning Systems:	\$			
		Remarks:				
-						
	c.	Fire Protection System:		\$		
		Remarks:				
•	d,	TOTAL (a + b + c, above):	\$	100		
	e.	Wells (enter cost to make available the capacity shown in Section C5. An auxiliary power source must be included if normal power is obtained from external sources. The requirement for emergency power for water supply is a departure from the "power on" assumption used during the NFS3.)				
				0		
		Remarks:				

SECTION D (Con't)

2.	Non-Potable Water: (Enter costs to make available the quantities of non-potable water shown in Section C. Treatment to make water potable will not be considered).			
		Source		Cost in Dollars
	8.	Normal Supplies:		\$
		Remarks:	-	
	-			
			ente administrativa pro-	
	ъ.	Heating and Air Conditioning Systems:		\$
		Remarks:	-	
		Miller from the control of the last of the control	and produce the	
	c.	FireProtection System:		\$
		Remarks:	4	
	-	THE SEASON OF TH	and any content	1
Marie and Marie	-	eass and the contract of the c	and the second of the second o	· · ·
			-	the contraction of the territory of the
	d.	TOTAL (a + b + c, above):	\$	0
	e.	capacity shown in Section C5. An auxiliary power source must be included if normal power is obtained from external sources. The requirement for emergency power for water		
		supply is a departure from the "power on" assumption used during the NFSS.)	\$	0
		Remarks:		
			-	

SECTION E - SEMERAGE SYSTEMS (Section E will be completed only when quantities are shown in the "Totable" column in Section C)

	-				
1.	Estima	red	sewage	quantity:	

4530

Gal/day

(Use 1 ga!/day/space for the number of shelter spaces shown in Item B-1. Note: This figure is assumed for the purposes of this survey only, and includes an allowance for flushing).

 Estimated capacity of sewer main(s) from building:

1,944,000 Gal/day

(Include existing sanitary, storm and/or other sewer mains which operate by gravity flow, only. Do not include flow from a sewage lift station in building unless stand-by power is available for its operation).

3. Water closets available to shelters:

117

Units

(Include all water closets within or accessible to the shelter areas in the building without direct exposure of personnel to radiation).

4. Estimated modification costs:

\$ 0

(Modifications will be considered only when entry in Item 2 is less than Item 1, above; or when shelter area(s) have no access to a gravity sewer or storm drain without direct exposure of personnel to radiation. Include modifications, such as the addition of a "wye" or "tee" for access into the line. Do not include items such as major extensions to or re-routing of existing lines, or addition of pumps or power for pumping. Cost estimates are for planning purposes, only and will be based upon the best on-site information readily available. If desired, a simple sketch may be attached).

Remarks: (Include brief description of proposed modifications and statement as to remaining deficiency, if any, to meet requirement in Item 1, above).